

MARKED-UP VERSION SHOWING AMENDMENTS TO THE
SPECIFICATION

[METHOD OF PROVIDING A DECORATIVE COVERING]

DECORATIVE FLORAL ASSEMBLY

CROSS REFERENCE TO RELATED APPLICATIONS

[0001] This application is a continuation of U.S. Serial No. 10/328,089, filed December 28, 2002, which is a continuation of U.S. Serial No. 10/040,669, filed January 7, 2002, now U.S. Patent No. 6,513,304, issued February 4, 2003, which is a continuation of U.S. Serial No. 09/901,997, filed July 10, 2001, now U.S. Patent No. 6,345,488; which is a continuation of U.S. Serial No. 09/603,712, filed June 27, 2000, now U.S. Patent No. 6,269,611, issued August 7, 2001; which is a continuation of U.S. Serial No. 09/243,961, filed February 3, 1999, now U.S. Patent No. 6,101,789, issued August 15, 2000; which is a continuation of U.S. Serial No. 08/813,850, filed March 7, 1997, now U.S. Patent No. 5,890,343, issued April 6, 1999; which is a continuation of U.S. Serial No. 08/463,641, filed June 5, 1995, now U.S. Patent No. 5,615,532, issued April 1, 1997; which is a continuation of U.S. Serial No. 08/427,014, filed April 24, 1995, now U.S. Patent No. 5,501,059, issued March 26, 1996; which is a continuation of U.S. Serial

No. 07/941,992, filed September 8, 1992, now U.S. Patent No. 5,410,856, issued May 2, 1995 which is a continuation-in-part of U.S. Serial No. 07/893,586, filed June 2, 1992, now U.S. Patent No. 5,181,364, issued January 26, 1993. Each of the applications listed above is hereby expressly incorporated by reference herein in its entirety. [This Application is a continuation-in-part of our Attorney Docket No. 8400.894, entitled "BAND APPLICATOR FOR APPLYING A BAND ABOUT A SHEET OF MATERIAL AND A POT", which is a continuation of U.S. Serial No. 07/819,311, filed January 9, 1992 which is a continuation of U.S. Serial No. 07/765,416, filed September 26, 1991, now U.S. Patent No. 5,105,599, which is a continuation of U.S. 07/530,491, filed May 29, 1990, now abandoned, which is a continuation of U.S. Serial No. 07/315,169, filed February 24, 1989, now abandoned.]

[0002] [This Application is also a continuation-in-part of co-pending application, Attorney Docket No. 8400.897, entitled "FLOWER POT COVER WITH CRIMPED PORTION", which is a continuation-in-part of Attorney Docket No. 8400.879, mailed by Express Mail to the Patent and Trademark Office on August 5, 1992, entitled "METHOD AND APPARATUS FOR FORMING A DECORATIVE COVER", which is a continuation-in-part of U.S. Serial No. 803,318, filed December 4, 1991,

entitled "WRAPPING MATERIAL FOR WRAPPING A FLORAL GROUPING HAVING STAGGERED STRIPS OF ADHESIVE APPLIED THERETO AND METHOD", which is a continuation-in-part of U.S. Serial No. 707,417, filed May 28, 1991, entitled "WRAPPING A FLORAL GROUPING WITH SHEETS HAVING ADHESIVE OR COHESIVE MATERIAL APPLIED THERETO", which is a continuation of U.S. Serial No. 502,358, filed March 29, 1990, now abandoned, entitled "WRAPPING A FLORAL GROUPING WITH SHEETS HAVING ADHESIVE OR COHESIVE MATERIAL APPLIED THERETO", which is a continuation-in-part of U.S. Serial No. 391,463, filed August 9, 1989, entitled "ADHESIVE APPLICATOR," which is a continuation-in-part of U.S. Serial No. 249,761, filed September 26, 1988, now abandoned, entitled "METHOD FOR WRAPPING AN OBJECT IN A MATERIAL HAVING PRESSURE SENSITIVE ADHESIVE THEREON".]

[0003] [This Application is also a continuation-in-part of co-pending application U.S. Serial No. 887,110, filed, May 19, 1992, entitled, "FLEXIBLE VASE FOR ACCOMMODATING AND DISPLAYING FLORAL ARRANGEMENTS"; which is a Continuation of Application Serial No. 803,708, filed on December 4, 1991, now abandoned; which was a continuation of U.S. Serial No. 728,854, filed July 11, 1991, now abandoned; which was a continuation of U.S. Serial No. 587,474, filed

September 19, 1990, now abandoned; which was a continuation of U.S. Serial No. 474,693, filed February 6, 1990, now abandoned; which was a continuation of U.S. Serial No. 249,585, filed September 26, 1988, now abandoned; in the name of Donald E. Weder.]

FIELD OF THE INVENTION

[0004] The present invention relates generally to decorative assemblies for floral groupings and, more particularly, but not by way of limitation, to a decorative assembly for a floral grouping comprising a sheet of material disposed about a floral holding material with a crimped portion formed in the sheet of material for cooperating to hold the sheet of material in position about the floral holding material to provide a decorative covering.

BRIEF DESCRIPTION OF THE DRAWINGS

[0005] Figure 1 is a plan view of a sheet of material constructed in accordance with the present invention.

[0006] Figure 2 is a cross-sectional view showing the sheet of material extended about a portion of a floral holding material with a crimped portion being formed in the sheet of material for cooperating to hold the sheet of material in the position extended about the floral grouping to provide a decorative covering in accordance with the present invention.

[0007] Figure 3 is a **cross**-sectional view of a modified floral holding material showing the sheet of material of Figure 1 wrapped about the modified floral holding material to provide a decorative covering.

[0008] Figure 4 is a perspective view of yet another modified floral holding material.

[0009] Figure 5 is a **cross**-sectional view of the modified floral holding material of Figure 4 showing the sheet of material disposed about a portion of the modified floral holding material with the crimped portion being formed and a portion of the sheet of material.

[0010] Figure 6 is a plan view of a modified sheet of material.

[0011] Figure 7 is a **cross**-sectional view of a floral holding material with the sheet of material of Figure 6 disposed about a portion of the floral holding material and a modified crimped portion being formed in a portion of the sheet of material.

[0012] Figure 8 is a plan view of still another modified sheet of material.

[0013] Figure 9 is a **cross**-sectional view of a floral holding material showing the sheet of material of Figure 8 disposed about a portion of the floral holding material with the crimped portion being formed in the sheet of material in a manner like that shown in Figure 7.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0014] Shown in Figure 1 and designated by the general reference numeral 10 is a sheet of material constructed in accordance with the present invention. The sheet of material 10 has an upper surface 12, a lower surface 14 **(not shown)** and an outer **[periphery] peripheral edge** 16.

[0015] The sheet of material 10 is constructed from any suitable flexible material that is capable of being wrapped or extended about a floral holding material 18 (Figure 2) in the manner described below. Preferably, the sheet of material 10 is constructed of a material selected from a group of materials consisting of paper, metal foil, cloth (natural or synthetic or combinations thereof), denim, burlap, polymer film or cling material or combinations thereof.

[0016] The term "polymer film" as used herein means any polymer film. For example, but not by way of limitation, one polymer film is a polypropylene film. Another example of a polymer film, but not by way of limitation, is cellophane.

[0017] The sheet of material 10 has a thickness in a range from about 0.1 **[mils] mil** to about 30 mils. Preferably, the sheet of material 10 has a thickness in a range from about 0.1 **[mils] mil** to about 5 mils.

[0018] The sheet of material 10 may be any shape and a circular shape is shown in Figure 1 only by way of example. The sheet of material 10 for example only may be square or rectangular or any other geometric shape such

as heart shaped **for example only.**

[0019] The sheet of material 10 may be constructed of a single layer of material or a plurality of layers of the same or different types of materials. Any thickness of the sheet of material 10 may be utilized in accordance with the present invention as long as the sheet of material 10 is wrappable about the floral holding material 18, as described herein. Additionally, an insulating material such as bubble film, preferable as one of two or more layers, can be utilized in order to provide additional protection for the item wrapped therein. The layers of material comprising the sheet of material 10 may be connected together or laminated or may be separate layers.

[0020] A decorative pattern, such as a color and/or an embossed pattern, and/or other decorative surface ornamentation may be applied to the upper surface 12 and/or the lower surface 14 of the sheet of material 10 or portions thereof including, but not limited to printed design, coatings, colors, flocking or metallic finishes. The sheet of material 10 also may be totally or partially clear or tinted transparent material.

[0021] "Cling Wrap or Material" as used herein means any material which is capable of connecting to the sheet of material and/or itself upon contacting engagement during the wrapping process and is wrappable about an item whereby portions of the cling material contactingly engage and connect to other portions of the wrapping material for generally securing the sheet of material

wrapped about at least a portion of the item. This connecting engagement is preferably temporary in that the wrapping material may be easily removed without tearing same, i.e., the cling material "clings" to the wrapping material. A wrapping material which remains securely connected to and about the wrapped item until the wrapping material is torn therefrom.

[0022] The cling material is constructed and treated if necessary, from polyethylene such as Cling Wrap made by Glad®, First Brands Corporation, Danbury, Connecticut. The thickness of the cling material will, in part, depend upon the thickness of the sheet of material utilized, i.e., generally, the thicker and therefore heavier sheet of material may require a thicker and therefore stronger cling material. The cling material will range in thickness from less than about 0.2 **[mils] mil** to about 10 mils, and preferably less than about 0.5 **[mils] mil** to about 2.5 mils and most preferably from less than about 0.6 **[mils] mil** to about 2 mils. However, any thickness of cling material may be utilized in accordance with the present invention which permits the cling material to function as described herein.

[0023] As shown in Figure 2, the floral holding material 18 has an upper end 20, a lower end 22 and an outer peripheral surface 24. The floral holding material 18 shown in Figure 2 is spherically shaped, although the floral holding material 18 may be any shape desired in any particular application. The floral holding material 18 is constructed of a material capable of receiving a portion

of a floral grouping 26 and holding or supporting the floral grouping **26** without any pot **[means]** such as a separate flower pot for example.

[0024] The floral holding **[means]** **material** 18 may be the type of material commonly referred to in the art as floral foam or Oasis™ or may be soil or artificial soil or other earth composition so long as the material is capable of holding its predetermined shape and capable of receiving and supporting the floral grouping 26 without any additional pot **[means]**. The floral holding material 18 may be capable of receiving and holding water for supplying water to the floral grouping 26.

[0025] As shown in Figure 2, the floral grouping 26 has a stem end 28 and a bloom end 30. A portion of the stem end 28 of the floral grouping 26 is extended into the floral holding material 18. The bloom end 30 of the floral grouping 26 extends a distance above the floral holding material 18.

[0026] "Floral grouping" as used herein means cut fresh flowers, artificial flowers, a single flower, other fresh and/or artificial plants or other floral materials and may include other secondary plants and/or ornamentation which add to the aesthetics of the overall floral grouping.

[0027] As mentioned before, the floral holding material 18, as shown in Figure 2, is generally spherically shaped. A flat portion (not shown) may be formed on the lower end **[20]** **22** of the floral holding material 18 so that the floral holding material 18 may be supported more easily on a flat surface such

as on a table (not shown) for example.

[0028] The sheet of material 10 is disposed adjacent the floral holding material 18 with the upper surface 12 of the sheet of material 10 being disposed adjacent the outer peripheral surface 24 of the floral holding material 18. In this position, as shown in Figure 2, the sheet of material 10 is extended about and covers a substantial portion of the floral holding material 18 leaving the upper end 20 of the floral holding material 18 substantially uncovered so that the floral grouping 26 extends outwardly from the upper end 20 of the floral holding material 18.

[0029] In this position, a crimped portion 32 is formed in the sheet of material 10 near the upper end 20 of the floral holding material 18. The crimped portion 32 is formed by crimping together portions of the sheet of material 10 to form the crimped portion 32. The crimped portion 32 extends a distance inwardly toward a central portion of the floral holding material 18. The crimped portion 32 preferably extends circumferentially about the upper end 20 of the floral holding material 18, although the crimped portion 32 could be formed only in portions of the sheet of material **[18] 10** thereby forming circumferentially spaced apart crimped portions if desired in a particular application.

[0030] As shown in Figure 2, the crimped portion 32 is formed by placing a band 34 about a portion of the sheet of material 10 with the band 34

gathering or bringing together portions of the sheet of material 10 pulling portions of the sheet of material 10 toward a central portion of the upper end 20 of the floral holding material 18 to form the crimped portion 32 **securing the sheet of material 10 in a position about the floral holding material 18 to provide a decorative covering 38.**

[0031] The term "band" as used herein means any material which may be secured about an object such as **[the] a** flower pot **[16]**, such bands commonly being referred to as elastic bands or rubber bands and also includes any other type of material such as a string or elastic piece of material, non-elastic piece of material, a round piece of material, a flat piece of material, a ribbon, a piece of paper strip, a piece of plastic strip, a piece of wire, a tie wrap or a twist tie or combinations thereof or any other device capable of gathering the sheet of material 10 to removably or substantially permanently form the crimped portion 32 and secure the crimped portion 32 formed in the sheet of material 10. The band **[12] 34** also may include a bow if desired in a particular application.

[0032] A portion of the sheet of material 10 near the outer **[periphery]** **peripheral edge** 16 thereof extends a distance above and beyond the crimped portion 32 to form a skirt 36 (Figure 2) extending circumferentially about the upper end 20 of the floral holding material 18 and circumferentially about the floral grouping 26. The sheet of material 10 secured about the floral holding

material 18 in the manner just described provides a decorative covering 38. The sheet of material 10 and the floral holding material 18 together with the means for forming the crimped portion 32 comprise a decorative assembly 40.

[0033] In one preferred embodiment, the band **[12] 34** is automatically placed about the sheet of material 10 using any one of a number of commercially available automatic or semi automatic banding machines such as the automatic shaping machine Model No. Power 260 available from Clements Industries, Inc., South Hackensack, New Jersey, or the machine Model No. Model BMNS Side Bender available from Saxmayer Corporation, Blissfield, Minnesota (MN), for example.

[0034] In this last mentioned embodiment, the floral holding material 18 with the sheet of material 10 extended thereabout is placed in the banding machine and the banding machine is activated to automatically place the band 34 about the sheet of material 10.

[0035] A system for automatically placing a band about a sheet of material disposed about a flower pot is disclosed in co-pending application entitled "BAND APPLICATOR FOR APPLYING A BAND ABOUT A SHEET OF MATERIAL AND A POT" and assigned to the assignee of the present invention and one disclosure of the letters application specifically is incorporated herein by reference. This system can be utilized for automatically placing the band 34 about the sheet of material 10 in accordance with the present invention.

[0036] In one other embodiment, the sheet of material 10 is placed about the floral holding material 18 and then placed in a holding device of the type disclosed in copending patent application entitled "METHOD AND APPARATUS FOR WRAPPING A FLORAL GROUPING WITH WATER HOLDING AND RELEASING MATERIAL", and assigned to the assignee of the present invention, the disclosure of which specifically hereby is incorporated herein by reference. This device includes a band holder. After the floral holding material 18 with the sheet of material 10 extended thereabout is placed in the holding device, the operator then takes a band from the band holder and pulls it over the holding device and onto the sheet of material 10.

[0037] EMBODIMENT OF FIGURE 3

[0038] Shown in Figure 3 is a modified decorative assembly 40a comprising **[the] a** sheet of material 10a wrapped about a modified floral holding material 18a. The floral holding material 18a is constructed exactly like the floral holding material 18 shown in Figure 2 and described in detail before, except the floral holding material 18a has a generally rectangularly shaped cross section as compared to the circular shaped cross section shown in Figure 2 with respect to the floral holding material 18.

[0039] The sheet of material 10a is constructed exactly like the sheet of material 10 except the sheet of material 10a may be rectangularly shaped.

[0040] The sheet of material 10a is extended about the floral holding material 18a and **[the] a** crimped portion 32a is formed in the sheet of material **10a** via **[the] a** band 34a in a manner exactly like that described before in connection with the sheet of material **10** and the floral holding material 18 shown in Figure 2.

[0041] EMBODIMENT OF FIGURES 4 AND 5

[0042] Shown in Figure 4 is a modified floral holding material 18b which is constructed exactly like the floral holding material 18 shown in Figure 2 and described in detail before, except the floral holding material 18b is in the shape of a solid basket.

[0043] Shown in Figure 5 is a sheet of material 10b which is constructed exactly like the sheet of material 10 shown in Figure 1 and described in detail before, except the sheet of material 10b is disposed or extended about the floral holding material 18b. A crimped portion 32b is formed in the sheet of material 10b via a band 34b for cooperating to hold the sheet of material 10b in position about the floral holding material 18b to provide **[the] a** decorative covering 38b.

[0044] **[The] A** decorative assembly 40b is constructed and operates exactly like the decorative assembly 40 shown in Figures 1 and 2 and described in detail before, except the sheet of material 10b is extended about the floral

holding material 18b having a basket like shape as opposed to a spherical shape or rectangularly shaped cross section like the floral holding material 18 or 18a shown in Figures 2 and 3 respectively.

[0045] EMBODIMENT OF FIGURES 6 AND 7

[0046] Shown in Figure 6 is a modified sheet of material 10c which is constructed exactly like the sheet of material 10 shown in Figure 1 and described in detail before, except the sheet of material 10c has a closure bonding material 42 disposed thereon. More particularly, the closure bonding material 42 is disposed on **[the] a** upper surface 12c of the sheet of material 10c and the closure bonding material 42 is spaced a distance 44 from **[the] an** outer **[periphery] peripheral edge** 16c of the sheet of material 10c. The closure bonding material 42 extends circumferentially about the sheet of material 10c. The closure bonding material 42 is spaced a distance **44** radially from a central portion of the sheet of material 10c. It should be noted that, although the closure bonding material 42 is shown in Figure 6 in the form on a continuous strip of closure bonding material 42, the closure bonding material 42 may be in the form of spots or spaced apart strips and the spots or strips may be of any geometric shape desired in a particular application.

[0047] The term "bonding material" as used herein means an adhesive, preferably a pressure sensitive adhesive, or a cohesive. Where the bonding

material is a cohesive, a similar cohesive material must be placed on the adjacent surface for bondingly contacting and bondingly engaging with the cohesive material. The term "bonding material" also includes materials which are heat sealable and, in this instance, the adjacent portions of the material must be brought into contact and then heat must be applied to effect the seal. The term "bonding material" as used herein also means a heat sealing lacquer which may be applied to the sheet of material and, in this instance, heat also must be applied to effect the sealing. The term "bonding material" as used herein means any type of material or thing which can be used to effect the bonding or connecting of the two adjacent portions of the material or sheet of material to effect the connection or bonding described herein.

[0048] Shown in Figure 7 is a floral holding material 18c which is constructed exactly like the floral holding material 18a shown in Figure 3 and described in detail before.

[0049] In operation, the sheet of material 10c is extended about a portion of **[the] an** outer peripheral surface 24c of the floral holding material 18c. The crimped portion **[42c] 32c** is formed in the sheet of material 10c by crimping together portions of the sheet of material 10c near the closure bonding material 42 and forming overlapping portions of the sheet of material **10c** with the overlapping portions being substantially bonded via the closure bonding material 42 to form the crimped portion 32c. The crimped portion 32c will

cooperate to hold the sheet of material 10c about the floral holding material 18c to provide **[the] a** decorative covering 38c in a manner exactly like that described before with respect to the crimped portion 32 formed with the band 34 shown in Figure 2, except in this instance the crimped portion **[32] 32c** is formed by bringing together and bonding portions of the sheet of material 10c via the closure bonding material 42. The closure bonding material 42 is positioned on the upper surface 12c of the sheet of material 10c so that the crimped portion 32c is positioned above **[the] an** upper end 20c of the floral holding material 18c, shown in Figure 7.

[0050] The crimping of the sheet of material 10c may be accomplished by hand or with a machine or device.

[0051] EMBODIMENT OF FIGURES 8 AND 9

[0052] Shown in Figure 8 is a modified sheet of material 10d which is constructed exactly like the sheet of material 10c shown in Figure 6, except the sheet of material 10d also includes a first pot bonding material 46 which extends circumferentially about a portion of the sheet of material 10d. The first pot bonding material 46 is spaced a distance from the closure bonding material 42 and spaced a distance from a central portion of the sheet of material 10d. The sheet of material 10d also includes a second pot bonding material **48** which is disposed on **[the] an** upper surface 12d of the sheet of material 10d with the

second pot bonding material 48 covering a central portion of the sheet of material 10d.

[0053] Shown in Figure 9 is a sectional view of a floral holding material 18d which is constructed exactly like the floral holding material 18a shown in Figure 3 and described in detail before. The sheet of material 10d is extended about the floral holding material 18d and **[the] a** crimped portion 32d is formed in the sheet of material 10d in a manner exactly like that described before in connection with the sheet of material 10c shown in Figure 7.

[0054] The first pot bonding material 46 is disposed on the sheet of material 10d and positioned thereon so that, when the sheet of material 10d is wrapped or extended about the floral holding material 18d, the first pot bonding material 46 is disposed adjacent a portion of the outer peripheral surface 24d near the upper end 20d of the floral holding material 18b. The portion of the sheet of material 10d with the **first** pot bonding material 46 thereon is bondingly connected to **[the] an** outer peripheral surface 24d of the floral holding material 18d for further cooperating to hold the sheet of material 10d extended about the floral holding material 18d. In addition, the second pot bonding material 48 is positioned on the sheet of material 10d so that the second pot bonding material 48 engages a portion of **[the] a** lower end 22d of the floral holding material 18d and bondingly connected thereto for still further cooperating to hold the sheet of material 10d extended about the floral holding

material 18d to form **[the] a** decorative covering 38d.

[0055] The closure bonding material 42 and the **first and second** pot bonding materials 46 and 48 may be disposed on the upper surface or the lower surface or both of the sheets of material 10 described herein or in any of the other positions described in the copending application entitled "METHOD AND APPARATUS FOR FORMING A DECORATIVE COVER", owned by the Assignee of the present invention, the disclosure of which specifically hereby is incorporated herein by reference.

[0056] The present invention particularly is useful for providing a decorative covering using a sheet of material constructed of a material which is non-shape sustaining. Non-shape sustaining means that the material may be shaped about the form of the floral holding material, but the sheet of material will not hold that shape and will relax back into substantially the non-formed shape unless held in the formed shape by some means such as the forming of the crimped portion in the sheet of material. By comparison, a shape sustaining sheet of material would be a material such as a metal foil for example which may be formed about the floral holding material and which will substantially maintain the formed shape.

[0057] Changes may be made in the construction and the operation of the various components, elements and assemblies described herein and changes may be made in the steps or the sequence of steps of the methods described

herein without departing from the spirit and scope of the invention as defined in the following claims.

ABSTRACT OF THE DISCLOSURE

A decorative **floral** assembly [**for a floral grouping**] comprising a floral holding material, **a floral grouping supported by the floral holding material**, and a **decorative** sheet of material. The floral holding material is constructed of a material capable of [**receiving a portion of a floral grouping and**] supporting the floral grouping **without a pot**. The **decorative** sheet of material is extended about a portion of the floral holding material and a crimped portion is formed in the **decorative** sheet of material with the crimped portion cooperating to hold the **decorative** sheet of material about the floral holding material to provide a decorative covering.